Anvil® Malleable Iron Fittings



Tee & Cross (Class 150 Standard)

Fig. 1106 Street or Service Tee (Straight)

Fig. 1106R Street or Service Tee (Reducing)

Fig.1107 Cross



Malleable Iron Threaded Pipe Unions Pressure - Temperature Ratings Malleable Iron Threaded Fittings Pressure - Temperature Ratings

	Pressure				
Temperature	Class 150	Class 250	Class 300		
°F/°C	PSI/bar	PSI/bar	PSI/bar		
-20°-150°	300	500	600		
-28.9°-65.6°	20.7	34.5	41.4		
200° 93.3°	265 18.3	455 31.4	550 37.9		
250° 121.1°	225 15.5	405 27.9	505 34.8		
300°	185	360	460 31.7		
148.9°	12.8	24.8			
350°	150	315	415 28.6		
176.7°	10.3	21.7			
400°	110	270	370		
204.4°	7.6	18.6	25.5		
450° 232.2°	75 5.2	225 15.5	325 22.4		
500°		180	280		
260.0°		12.4	19.3		
550°		130	230		
287.8°		9.0	15.9		

	Pressure Class 300				
Temperature	Class 150	Sizes 1/4"-1" (6-25mm)	Sizes 11/4"-2"	Sizes 21/2"-3"	
°F/°C	PSI/bar	PSI/bar	PSI/bar	PSI/bar	
-20°-150° -28.9°-65.6°	300 20.7	2000 137.9	1500 103.4	1000 68.9	
200° 93.3°	265 18.3	1785 123.1	1350 93.1	910 62.7	
250° 121.1°	225 15.5	1575 108.6	1200 82.7	825 56.9	
300° 148.9°	185 12.8	1360 93.8	1050 72.4	735 50.7	
350° 176.7°	150 10.3	1150 79.3	900 62.1	650 44.8	
400° 204.4°	_	935 64.5	750 51.7	560 38.6	
450° 232.2°	_	725 50.0	600 41.4	475 32.8	
500° 260.0°	_	510 35.2	450 31.0	385 26.5	
550° 287.8°	_	300 20.7	300 20.7	300 20.7	

ASC Engineered Solutions™ offers the broadest line of malleable iron fitting sizes in both black and galvanized finishes. Every fitting is manufactured and tested to meet ASC's strict quality standards. All Anvil Class 150 Malleable Iron Fittings conform to ASME B16.3 and unions conform to ASME B16.39. All elbows and tees ³/₀" (10 DN) and larger are 100% gas tested at a minimum of 100 PSI (6.9 bar).

For Listings/Approval Details and Limitations, visit our website at www.asc−es.com or contact an ASC Engineered Solutions™ Representative.

See following page for standards and specifications. Anvil Class 150/300 Malleable Iron Fittings conform to ASME B16.3 and Unions conform to ASME B16.39.

All elbows and tees $\frac{3}{8}$ " (10 DN) and larger are 100% gas tested at a minimum of 100 PSI (6.9 bar).



Note:

Unions with Copper or Copper Alloy seats are not intended for use where temperature exceeds 450°F.

PROJECT INFORMATION	APPROVAL STAMP
Project:	Approved
Address:	Approved as noted
Contractor:	Not approved
Engineer:	Remarks:
Submittal Date:	
Notes 1:	
Notes 2:	

Anvil® Malleable Iron Fittings



Tee & Cross (Class 150 Standard) **Fig. 1106, 1106R, 1107**



Standards and Specifications

Malleable Iron Fittings

	Dimensions	Material	Galvanizing*	Thread	Pressure Rating
Class 150/PN 20	ASME B16.3	ASTM A197	ASTM A153	ASME B1 20.1	ASME B16.3
Class 300/PN 50	ASME B16.3	ASTM A197	ASTM A153	ASME B1 20.1	ASME B16.3

Malleable Iron Unions

	Dimensions	Material	Galvanizing*	Thread	Pressure Rating
Class 150/PN 20	ASME B16.39	ASTM A197	ASTM A153	ASME B1 20.1	ASME B16.39
Class 250	ASME B16.39	ASTM A197	ASTM A153	ASME B1 20.1	ASME B16.39
Class 300/PN 50	ASME B16.39	ASTM A197	ASTM A153	ASME B1 20.1	ASME B16.39

Note:



asc-es.com

Building connections that last™

 $^{^*\,\}mathsf{ASTM}\,\mathsf{B633}.\,\mathsf{Type}\,\mathsf{I},\mathsf{SC}\,\mathsf{4},\mathsf{may}\,\mathsf{be}\,\mathsf{supplied}\,\mathsf{as}\,\mathsf{alternate}\,\mathsf{zinc}\,\mathsf{coating}\,\mathsf{per}\,\mathsf{applicable}\,\mathsf{ASME}\,\mathsf{B16}\,\mathsf{product}\,\mathsf{standard}.$

Anvil® Malleable Iron Fittings





Fig. 1106, 1106R

Straight Street or Service Tee (Class 150 Standard) Reducing Street or Service Tee (Class 150 Standard)

Fig. 1107 Cross (Class 150 Standard)







0:			Unit Weight		
Size	Α	J	Black	Galvanized	
NPS/DN	In./mm	In./mm	Lbs./kg	Lbs./kg	
1/4	13/16	1 3/16	0.15	0.15	
8	30	30	0.07	0.07	
3/8	1 5/16	1 7/16	0.24	0.24	
10	33	37	0.11	0.11	
1/2	11/8	15/8	0.34	0.34	
15	29	41	0.15	0.15	
3/4	1 5/16	17/8	0.61	0.61	
20	33	48	0.28	0.28	
1	11/2	21/8	0.96	0.96	
25	38	54	0.44	0.44	
11/4	13/4	27/16	1.39	1.39	
32	44	62	0.63	0.63	
11/2	1 ¹⁵ / ₁₆	211/16	1.93	1.93	
40	49	68	0.88	0.88	
2	21/4	31/4	3.16	3.16	
50	57	83	1.43	1.43	

11/4	13/4	27/16	1	.39	1.39	1
32	44	62	0	.63	0.63	25
11/2	1 ¹⁵ / ₁₆	211/16	1	.93	1.93	11/4
40	49	68	0	.88	0.88	32
2	21/4	31/4	3	.16	3.16	11/2
50	57	83	1.	.43	1.43	40
						2
Size	R	ın Outlet Unit Weight		50		
female run x male run x outlet	Α	J	Α	Black	Galvanized	2½ 65
NPS/DN	In./mm	In./mm	In./mm	Lbs./kg	Lbs./kg	3
11/4 x 1 x 11/4	13/4	25/16	1 3/4	1.34	1.34	80
32 x 25 x 32	44	59	44	0.61	0.61	4

0.		Unit Weight		
Size	Α	Black	Galvanized	
NPS/DN	In./mm	Lbs./kg	Lbs./kg	
1/8	11/16	0.12	0.12	
6	17	0.05	0.05	
1/4	13/16	0.18	0.18	
8	22	0.08	0.08	
3/8	15/16	0.28	0.28	
10	24	0.13	0.13	
1/2	11/8	0.42	0.42	
15	29	0.19	0.19	
3/4	1 5/16	0.69	0.69	
20	33	0.31	0.31	
1	11/2	1.12	1.12	
25	38	0.51	0.51	
1 1/4	13/4	1.44	1.44	
32	44	0.65	0.65	
1 1/2	1 15/16	1.98	1.98	
40	49	0.90	0.90	
2	21/4	3.30	3.30	
50	57	1.50	1.50	
21/2	2 11/16	5.90	5.90	
65	68	2.68	2.68	
3	31/16	7.94	7.94	
80	78	3.60	3.60	
4	3 13/16	13.50	13.50	
100	98	6.12	6.12	

Notes

See first page for pressure-temperature ratings. Galvanized weights may vary. Please contact your ASC Engineered Solutions™ Representative if you need verification. All elbows and tees ¾" (10 DN) and larger are 100% gas tested at a minimum of 100 PSI (6.9 bar).



asc-es.com

Building connections that last™

Malleable Iron Fittings / Installation



Fig. 1106, 1106R, 1107 Tee & Cross (Class 150 Standard)

General Assembly of Threaded Fittings

1 Inspect both male and female components prior to assembly.

- Threads should be free from mechanical damage, dirt, chips and excess cutting oil.
- Clean or replace components as necessary.

2 Application of thread sealant

- Use a thread sealant that is fast drying, sets-up to a semi hard condition and is vibration resistant. Alternately, an anaerobic sealant may be utilized.
- · Throroughly mix the thread sealant prior to application.
- Apply a thick even coat to the male threads only. Best application is achieved with a brush stiff enough to force sealant down to the root of the threads.

3 Joint Makeup

- For sizes up to and including 2" pipe, wrench tight makeup is considered three full turns past handtight. Handtight engagement for ½" through 2" thread varies from 4½ turns to 5 turns.
- For 2½" through 4" sizes, wrench tight makeup is considered two full turns past handtight. Handtight engagement for 2½" through 4" thread varies from 5½ turns to 6¾ turns.



asc-es.com

Building connections that last™